

## CLAIMS

1. A perfume composition comprising at least 30% by weight of one or more of the following perfume components; Armoise Tunisian oil, para-tert.butylphenylacetonitrile, dihydrolinalol, N-ethyl-N-(3-methylphenyl)propionamide, 4-(5-ethylbicyclo[2.2.1]heptyl-2)-cyclohexanol, ethyltricyclo[5.2.1.0{2,6}]decane-2-carboxylate, 2-ethyl-N-methyl-N-(3-methylphenyl)butanamide, dihydromyrcenol, (4-isopropylcyclohexyl)methanol, 3-methyl-5-phenylpentan-1-ol, 2,2,2-trichloro-1-phenylethyl acetate, isobornyl acetate, allyl amyl glycolate, alpha-terpineol, acetyl cedrene, tetrahydrogeraniol, citronellal, cuminic aldehyde, 1,3,3-trimethyl-2-norbornanyl acetate, cis-jasmone, methyl octyl acetaldehyde, gamma-octalactone, octyl acetate, pine American oil, peppermint (Chinese), 1,3,3-trimethyl-2-norbornanol, gamma-nonolactone, octahydro-2H-chromen-2-one, cis-4-decenal, 3-(3-isopropylphenyl)butanal.

2. A perfume composition comprising at least 3 of the following perfume components; Armoise Tunisian oil, para-tert.butylphenylacetonitrile, dihydrolinalol, N-ethyl-N-(3-methylphenyl)propionamide, 4-(5-ethylbicyclo[2.2.1]heptyl-2)-cyclohexanol, ethyltricyclo[5.2.1.0{2,6}]decane-2-carboxylate, 2-ethyl-N-methyl-N-(3-methylphenyl)butanamide, dihydromyrcenol, (4-isopropylcyclohexyl)methanol, 3-methyl-5-phenylpentan-1-ol, 2,2,2-trichloro-1-phenylethyl acetate, isobornyl acetate, allyl amyl glycolate, alpha-terpineol, acetyl cedrene, tetrahydrogeraniol, citronellal, cuminic aldehyde, 1,3,3-trimethyl-2-norbornanyl acetate, cis-jasmone, methyl octyl acetaldehyde, gamma-octalactone, octyl acetate, pine American oil, peppermint (Chinese), 1,3,3-trimethyl-2-norbornanol, gamma-nonolactone, octahydro-2H-chromen-2-one, cis-4-decenal, 3-(3-isopropylphenyl)butanal.

3. A perfume composition according to claim 2, wherein the perfume composition comprises at least 30% by weight of at least 3 of the specified perfume components.

4. A deodorant product comprising a perfume composition according to any one of claims 1, 2 or 3.

5. Use of one or more of the following perfume components; Armoise Tunisian oil, para-tert.butylphenylacetone nitrile, dihydrolinalol, N-ethyl-N-(3-methylphenyl)propionamide, 4-(5-ethylbicyclo[2.2.1]heptyl-2)-cyclohexanol, ethyltricyclo[5.2.1.0{2,6}]decane-2-carboxylate, 2-ethyl-N-methyl-N-(3-methylphenyl)butanamide, (4-isopropylcyclohexyl)methanol, 3-methyl-5-phenylpentan-1-ol, 2,2,2-trichloro-1-phenylethyl acetate, isobornyl acetate, allyl amyl glycolate, acetyl cedrene, tetrahydrogeraniol, citronellal, cuminic aldehyde, 1,3,3-trimethyl-2-norbornanyl acetate, cis-jasmone, methyl octyl acetaldehyde, gamma-octalactone, octyl acetate, pine American oil, peppermint (Chinese), 1,3,3-trimethyl-2-norbornanol, gamma-nonolactone, octahydro-2H-chromen-2-one, cis-4-decenal, 3-(3-isopropylphenyl)butanal, as a deodorant active.

6. Use of one or more of the following perfume components; Armoise Tunisian oil, para-tert.butylphenylacetone nitrile, dihydrolinalol, N-ethyl-N-(3-methylphenyl)propionamide, 4-(5-ethylbicyclo[2.2.1]heptyl-2)-cyclohexanol, ethyltricyclo[5.2.1.0{2,6}]decane-2-carboxylate, 2-ethyl-N-methyl-N-(3-methylphenyl)butanamide, (4-isopropylcyclohexyl)methanol, 3-methyl-5-phenylpentan-1-ol, 2,2,2-trichloro-1-phenylethyl acetate, isobornyl acetate, allyl amyl glycolate, acetyl cedrene, tetrahydrogeraniol, citronellal, cuminic aldehyde, 1,3,3-trimethyl-2-norbornanyl acetate, cis-jasmone, methyl octyl acetaldehyde, gamma-octalactone, octyl acetate, pine American oil, peppermint (Chinese), 1,3,3-trimethyl-2-norbornanol, gamma-nonolactone, octahydro-2H-chromen-2-one, cis-4-decenal, 3-(3-isopropylphenyl)butanal, in the manufacture of a composition for reducing or preventing body malodour.

7. A method for reducing or preventing body malodour by topically applying to human skin a composition comprising a perfume component selected from at least one of the following; Armoise Tunisian oil, para-tert.butylphenylacetone nitrile, dihydrolinalol, N-ethyl-N-(3-methylphenyl)propionamide, 4-(5-ethylbicyclo[2.2.1]heptyl-2)-cyclohexanol, ethyltricyclo[5.2.1.0{2,6}]decane-2-carboxylate, 2-ethyl-N-methyl-N-(3-

methylphenyl)butanamide, dihydromyrcenol, (4-isopropylcyclohexyl)methanol, 3-methyl-5-phenylpentan-1-ol, 2,2,2-trichloro-1-phenylethyl acetate, isobornyl acetate, allyl amyl glycolate, alpha-terpineol, acetyl cedrene, tetrahydrogeraniol, citronellal, cuminic aldehyde, 1,3,3-trimethyl-2-norbornanyl acetate, cis-jasmone, methyl octyl acetaldehyde, gamma-octalactone, octyl acetate, pine American oil, peppermint (Chinese), 1,3,3-trimethyl-2-norbornanol, gamma-nonolactone, octahydro-2H-chromen-2-one, cis-4-decenal, 3-(3-isopropylphenyl)butanal.

8. A method according to claim 7 wherein the perfume component is selected from at least one of the following; Armoise Tunisian oil, para-tert.butylphenylacetone nitrile, dihydrolinalol, N-ethyl-N-(3-methylphenyl)propionamide, 4-(5-ethylbicyclo[2.2.1]hept-2-yl)-cyclohexanol, ethyltricyclo[5.2.1.0{2,6}]decane-2-carboxylate, 2-ethyl-N-methyl-N-(3-methylphenyl)butanamide, (4-isopropylcyclohexyl)methanol, 3-methyl-5-phenylpentan-1-ol, 2,2,2-trichloro-1-phenylethyl acetate, isobornyl acetate, allyl amyl glycolate, acetyl cedrene, tetrahydrogeraniol, citronellal, cuminic aldehyde, 1,3,3-trimethyl-2-norbornanyl acetate, cis-jasmone, methyl octyl acetaldehyde, gamma-octalactone, octyl acetate, pine American oil, peppermint (Chinese), 1,3,3-trimethyl-2-norbornanol, gamma-nonolactone, octahydro-2H-chromen-2-one, cis-4-decenal, 3-(3-isopropylphenyl)butanal.

9. A method according to claim 7 or 8, wherein the composition is a perfume composition.

10. A method according to claim 9, wherein the perfume composition comprises at least 30% by weight of at least one of the specified perfume components.